

**Appendix J**  
**EMSA CleanSeaNet**  
**Data Centre [CSNDC]**  
**Technical Design Document (TDD)**

Insert reference or version 7.1

**Date: 29/05/2015**

# TABLE OF CONTENTS

<b>1</b>	<b>Introduction.....</b>	<b>14</b>
1.1	Purpose and Objectives .....	14
1.2	Reference documents .....	14
1.3	Abbreviations and acronyms .....	15
<b>2</b>	<b>Infrastructure and Environments.....</b>	<b>19</b>
2.1	General Guidelines.....	19
2.2	Availability requirements .....	19
2.2.1	High Availability/Load Balancing Cluster methods .....	19
2.2.2	Availability/DR .....	19
2.3	Middleware .....	20
2.4	Environments & SW Versions management.....	20
2.5	Environment .....	21
2.6	Component scalability .....	21
2.7	Production environment .....	22
2.8	Pre-Production Environment .....	22
2.9	TEST Environment.....	23
2.10	Data Budget .....	23
2.11	Backup .....	24
<b>3</b>	<b>Architectural Decisions .....</b>	<b>25</b>
3.1	Architectural design approach.....	25
3.2	Existing components (COTS).....	25
3.3	Components developed/adapted .....	26
3.4	Internal interfaces communication mechanism .....	27
3.5	Introduction to PDS (Payload Data Segment) .....	27
3.5.1	Data Driven .....	28
3.5.2	Modularity.....	31
3.5.3	Scalability .....	31
<b>4</b>	<b>Logical View.....</b>	<b>33</b>
4.1	System Overview .....	33
4.2	DAM – Data Management.....	34
4.2.1	DAM Overview .....	34
4.2.2	DAM Decomposition .....	35
4.2.2.1	Data Store .....	35
4.2.2.2	Mass Storage .....	36
4.2.2.3	Webcat.....	36
4.2.2.4	WebCat Feeder.....	38
4.2.3	Geoserver logical architecture .....	39
4.2.4	Implementation of the Catalogue Services .....	40

4.2.5	Specific configuration of Deegree to implement the ebRIM scheme and the EOP profile .....	42
4.2.6	Implementation of the ingestion of raster data .....	42
4.3	IIF – Ingestion and Interfaces .....	43
4.3.1	IIF Overview .....	43
4.3.1.1	Integrity, Format and Quality control checks .....	44
4.3.1.2	Auxiliary files Timeliness Verification .....	44
4.3.2	IIF Decomposition .....	45
4.4	UMA .....	49
4.4.1	UMA Overview .....	49
4.4.2	List of CSNDC users and roles .....	52
4.4.3	Implementation of the Data Access Policy (DAP) Management .....	54
4.4.4	Implementation of the Operation-Based Data Access .....	56
4.5	PMA – Process Management .....	58
4.5.1	PMA Overview .....	58
4.5.2	PDS Thin Layer .....	59
4.5.3	KEO .....	59
4.5.3.1	KAFE Servers .....	60
4.5.3.2	Feature Extraction Processor .....	60
4.5.3.3	Data-Flow Explained .....	61
4.5.3.4	Architectural Overview .....	61
4.5.3.5	FEP Engine .....	62
4.5.3.6	FEP Actuator .....	64
4.5.3.7	FEP Module Ingestion .....	64
4.5.3.8	FEP Designer .....	66
4.5.3.9	The PROCESSOR calling mechanism .....	70
4.5.3.10	Configurability and usage of the Thin Layer inside the CSN-DC PMA .....	74
4.6	WUP – Web User Portal .....	75
4.6.1	WCMS .....	80
4.6.2	Plugin Container .....	80
4.6.3	WebGIS application .....	80
4.6.4	Oil spill prediction models integration from the WUP .....	85
4.7	PDE – Product Delivery .....	86
4.7.1	PDE Overview .....	86
4.7.2	PDE Decomposition .....	86
4.7.3	Details on the alerting procedure .....	91
4.8	POR – Planning and Ordering .....	94
4.8.1	POR Overview .....	94
4.8.2	POR Main tasking phases .....	94
4.8.2.1	POR Planning phase .....	95
4.8.2.2	POR Tasking allocation phase .....	95
4.8.3	POR Approval phase .....	97
4.8.4	Usage of Service Types .....	98
4.8.5	POR decomposition .....	101
4.9	JOU - Journaling .....	104
4.9.1	Client Layer .....	105

4.9.1.1	Web Client .....	105
4.9.2	Presentation Layer .....	105
4.9.2.1	Portlet.....	105
4.9.2.1.1	Access control .....	105
4.9.2.1.2	Navigation .....	106
4.9.3	Application Layer.....	106
4.9.3.1	Core Business Functions .....	106
4.9.3.1.1	Journaling data acquisition.....	106
4.9.3.1.2	Journaling data preparation .....	106
4.9.3.1.3	Journaling data storage .....	106
4.9.3.1.4	Journaling data update .....	107
4.9.3.1.5	Audit information storage .....	107
4.9.3.1.6	Image delay calculation .....	107
4.9.3.1.7	Force frame delivery time and quality .....	107
4.9.3.1.8	Store documents sent to SPs .....	107
4.9.3.1.9	Store references to products sent to users.....	108
4.9.3.1.10	Store alerts/reports sent to coastal states .....	108
4.9.3.2	Reporting .....	108
4.9.3.2.1	Jasper Reports .....	108
4.9.3.2.2	Get/Add product category.....	109
4.9.3.2.3	Report contest .....	109
4.9.3.2.4	Mark report as final .....	109
4.9.3.3	Logging .....	110
4.9.3.3.1	Change log level at runtime .....	110
4.9.4	Integration Layer .....	110
4.9.4.1	Integration Infrastructure.....	110
4.9.4.1.1	External Services.....	110
4.9.5	Data Access Layer .....	110
4.9.5.1	Database Management.....	110
4.9.5.1.1	Database access .....	110
4.9.6	Data Layer.....	111
4.9.6.1	Journaling .....	111
4.10	Communication Mechanisms (COM) .....	111
4.10.1	Client Layer .....	112
4.10.1.1	Web Client .....	113
4.10.2	Presentation Layer .....	113
4.10.2.1	Portlet.....	113
4.10.2.1.1	Access control .....	113
4.10.2.1.2	Navigation .....	113
4.10.3	Application Layer.....	114
4.10.3.1	Document Library.....	114
4.10.3.1.1	Document management.....	114
4.10.3.1.2	Search .....	114
4.10.3.2	Forum.....	114
4.10.3.2.1	Forum content management .....	114
4.10.3.2.2	Search .....	114
4.10.3.3	WIKI .....	115

4.10.3.3.1	WIKI content management .....	115
4.10.3.3.2	Search .....	115
4.10.3.4	Calendar .....	115
4.10.3.4.1	Event management .....	115
4.10.3.4.2	Search .....	115
4.10.4	Data Access Layer .....	116
4.10.4.1	Database Management.....	116
4.10.4.1.1	Database access.....	116
4.10.5	Data Layer.....	116
4.10.5.1	Document Library.....	116
4.10.5.2	Forum.....	116
4.10.5.3	WIKI .....	116
4.10.5.4	Calendar .....	117
4.11	FinSys – Financial System .....	118
4.11.1	Client Layer .....	118
4.11.1.1	Web Client .....	119
4.11.2	Presentation Layer .....	119
4.11.2.1	Portlet.....	119
4.11.2.1.1	Access control .....	119
4.11.2.1.2	Navigation .....	119
4.11.3	Application Layer.....	120
4.11.3.1	Core Business Functions .....	120
4.11.3.1.1	Frame Price Calculation .....	120
4.11.3.1.2	Task Form Generation .....	120
4.11.3.2	Reporting .....	120
4.11.3.2.1	Jasper Reports .....	120
4.11.3.2.2	Generate Financial Report.....	121
4.11.3.3	Logging .....	121
4.11.3.3.1	Change log level at runtime .....	121
4.11.4	Integration Layer .....	122
4.11.4.1	Integration Infrastructure.....	122
4.11.4.1.1	External Services .....	122
4.11.5	Data Access Layer .....	122
4.11.5.1	Database Management.....	122
4.11.5.1.1	Database access.....	122
4.11.6	Data Layer.....	122
4.11.6.1	Financial System.....	123
<b>5</b>	<b>Technical Implementation View .....</b>	<b>124</b>
5.1	DAM - Data Access Management.....	124
5.2	IIF - Ingestion and interfaces.....	127
5.2.1	Ingestion of AIS data .....	131
5.2.2	Notification service .....	134
5.3	UMA - User Management .....	138
5.3.1	Technical implementation of the Data Access Policy enforcement .....	140
5.3.2	Technical Implementation of Operation Based access control.....	143

5.4	PMA - Process Management .....	147
5.5	WUP - WEB USER PORTAL .....	150
5.6	PDE - Product Delivery .....	151
5.6.1	Component diagram and main interfaces with other components .....	151
5.6.2	Dynamic behaviour .....	152
5.7	POR Planning and ordering .....	156
5.7.1	Component diagram and main interfaces with other components .....	156
5.7.2	Dynamic behaviour .....	157
5.7.3	Description of the message exchanges between POR and JOU/FinSys .....	162
5.8	JOU .....	171
5.9	COM .....	173
5.10	Oil Spill Models integration and workflow .....	176
5.11	Archive and Restore Tools .....	179
5.11.1	Overview of the functionality .....	179
5.11.2	Implementation logic .....	180
5.11.2.1	Determine data to be archived .....	183
5.11.2.2	Moving physical files from online to archive location .....	184
5.11.2.3	Moving AIS data from the online table into the offline table .....	185
5.11.2.4	Removing Geoserver layers .....	185
5.11.2.5	Setting the status to archived .....	185
5.11.2.6	Determining data to be restored .....	185
5.11.2.7	Copying physical files back from the archive location into the online location .....	186
5.11.2.8	Moving AIS data from the offline table into the online table .....	186
5.11.2.9	Setting the status to delivered .....	186
5.11.3	Implementation details and handling of non-nominal cases .....	186
5.12	Implementation of the Business Continuity Facility (BCF) support function .....	189
5.12.1	Start/stop scripts .....	190
5.12.2	Configuration scripts .....	190
5.12.3	Example of switch over between EMSA PROD and BCF .....	191
<b>6</b>	<b>Deployment View .....</b>	<b>192</b>
6.1	First decomposition: tiers .....	192
6.2	Portal Tier .....	192
6.3	Application Tier .....	193
6.4	Database Server Tier .....	195
6.5	Identity management TIER .....	196
<b>7</b>	<b>Implementation view .....</b>	<b>197</b>
<b>8</b>	<b>Data View .....</b>	<b>197</b>
8.1	DAM .....	197
8.1.1	EOP metadata .....	197
8.1.2	Oil Spill feature and Detected Ship feature .....	199
8.2	POR .....	214
8.3	COM & JOU .....	215
8.4	FinSys .....	218
<b>9</b>	<b>External Interfaces .....</b>	<b>221</b>

<b>10 Internal Interfaces.....</b>	<b>222</b>
<b>11 Annex -A - Security Concepts.....</b>	<b>227</b>
11.1 Clean Sea Net Security Concepts.....	227
11.1.1 High level security objectives.....	227
11.1.2 CSN Software Development Life Cycle .....	227
11.1.3 Manual & Automated Verification.....	228
11.1.3.1 Dynamic Analysis.....	228
11.1.3.1.1 Vulnerability Scanning .....	228
11.1.3.1.2 Penetration Testing .....	230
11.1.3.2 Static Analysis (Source Code Scanning) .....	1
11.1.4 External Entities to CSN Threats Analysis.....	2
11.1.5 About Logging.....	4
11.2 Security related to Apache reconfigurations .....	4
11.3 Security related to reflected content and reflected cross-site scripting.....	5
<b>12 Annex B - Alerting Parameters .....</b>	<b>6</b>
<b>13 Annex C - Example of POR Planning files .....</b>	<b>10</b>
<b>14 Annex D – Example of XML file for triggering the Oil Spill Model WPS .....</b>	<b>25</b>



# TABLE OF FIGURES

Figure 2-1 – Middleware view .....	20
Figure 2-2 CSNDC deployment diagram .....	21
Figure 3-1 Data Driven in the Production System: the Thin Layer .....	30
Figure 4-1 - DAM high level architecture .....	34
Figure 4-2 - DAM decomposition .....	35
Figure 4-3 – Geoserver deployment .....	40
Figure 4-4 - EO Catalogue specifications relationships .....	41
Figure 4-5 – IIF as the CSN-DC file-based data gate .....	43
Figure 4-6 – IIF Decomposition .....	45
Figure 4-7 – FTP with redundant servers (export/dissemination case) .....	48
Figure 4-8 Overview of the User Management in CSNDC .....	49
Figure 4-9: FEP Engine class diagram .....	62
Figure 4-10: KAFE Engine/Actuators architecture. ....	63
Figure 4-11: FEP actuators architecture.....	65
Figure 4-12: FEP Module Manager dialog.....	66
Figure 4-13: FEP designer window. ....	67
Figure 4-14: Processing module shapes. ....	68
Figure 4-15: Anatomy of a processing module.....	68
Figure 4-16 - Thin Layer architecture on a distributed environment.....	69
Figure 4-17 Thin Layer activation mechanism.....	72
Figure 4-18 WUP context and main interfaces.....	75
Figure 4-19 WUP as a DAM's services client.....	76
Figure 4-20 high level view of the data model accessed by the WUP .....	77
4-21 - <b>WUP decomposition</b> .....	80

Figure 4-22 SIBILLA based channels .....	81
Figure 4-23 Rich flex client init sequence .....	81
Figure 4-24 RichFlex client decomposition .....	82
Figure 4-25 Standard javascript client init sequence .....	83
Figure 4-26 Library hierarchy for the standard javascript client .....	83
Figure 4-27 – PDE Decomposition .....	86
Figure 4-28 Standing order flow .....	87
Figure 4-29 - Report generation workflow .....	90
Figure 4-30 - Alert Management Component Diagram .....	91
Figure 4-31 - Dynamic model of the alerting process .....	92
Figure 4-32 - POR Tasking phase .....	96
Figure 4-33 Flow chart illustrating the approval phase .....	97
Figure 4-34 – UI for defining service types .....	100
Figure 4-35 – Dialog window for defining service type for a given cart .....	101
Figure 4-36 - POR first level of decomposition .....	102
Figure 4-37: Journaling Logical View .....	104
Figure 4-38: Communication Mechanisms Logical View .....	112
Figure 4-39: Journaling Logical View .....	118
Figure 5-1 - DAM main high level ingestion scenario .....	124
Figure 5-2 - WUP <-> DAM sequence diagram .....	125
Figure 5-3 - Info collection for Alert creation sequence .....	126
Figure 5-4 Mechanism for receiving the data packages from the SPs .....	128
Figure 5-5 - Ingestion chain workflow .....	129
Figure 5-6 – Component diagram focussing on the dependencies between IIF, JOU, POR and FINSYS .....	130
Figure 5-7 - Workflow for managing ingestion of a EOP (and QNO) .....	130

Figure 5-8 – WebCatFeeder interfaces with COTS.....	131
Figure 5-9 – Vessel Traffic information retrieval sequence diagram .....	134
Figure 5-10 – Notification Service Component Diagram .....	136
Figure 5-11 – Notification Service sequence diagram.....	137
Figure 5-12 - User Management Component Diagram .....	138
Figure 5-13 - Interaction diagram for the user management.....	139
Figure 5-14 High level architecture of the Data Access components .....	140
Figure 5-15 – Simplified user model focussed on the user-operations relationships.....	143
Figure 5-16 Simplified model for service ID to operations relationships .....	146
Figure 5-17 - Ingestion processing and display of Service Provider data .....	147
Figure 5-18 - Complex chain including execution of an external hosted process .....	148
Figure 5-19 PMA processing and request for STIRES data.....	149
Figure 5-20 – Component diagram for Alerting and its main interfaces.....	151
Figure 5-21 - Management of Subscriptions .....	152
Figure 5-22 Systematic distribution of data .....	153
Figure 5-23 Generation of reports and alerts .....	155
Figure 5-24 POR JOU FINSYS and GIS Viewer component diagram .....	156
Figure 5-25 – Setting the default coastal state requirements using the POR .....	157
Figure 5-26 – CSN-SD creates the list of scenes allocated by Coastal States in the various formats. ....	158
Figure 5-27 – CSN-SD sends EOLI order and update order status .....	159
Figure 5-28 POR ordering data (tools different from EOLI).....	159
Figure 5-29 Finalisation of an order from the POR .....	160
Figure 5-30 - POR approval sequence.....	162
Figure 5-31 Information exchange between POR and JOU/FinSys.....	163
</TaskMessage>Figure 5-32 Example for the message type <i>TaskMessage</i> , sent when the PO starts a tasking.....	165

Figure 5-33 Example of message sent when a scene is allocated, SceneMessage .....	165
Figure 5-34 Example for the message type <i>TaskMessage</i> , sent when the PO starts approval .....	166
Figure 5-35 Example of <i>TaskInfoList</i> , sent when the PO starts approval .....	167
Figure 5-36 Message of type TaskInfoList, example sent when the FO approves an order .....	167
Figure 5-37 Example of ReportInfo message generated when an order is approved.....	168
Figure 5-38 Example of NewOrder message generated when a tasking is completed (approved by AO) .....	170
Figure 5-39 - Dynamic Flow of Journaling information process .....	171
Figure 5-40 - Dynamic Flow of class request .....	171
Figure 5-41 - Dynamic Flow of force class request .....	172
Figure 5-42 - Dynamic Flow of create Forum content .....	173
Figure 5-43 - Dynamic Flow of create Forum content from an EO product .....	173
Figure 5-44 - Dynamic Flow of delete WIKI content .....	174
Figure 5-45 - Dynamic Flow of search documents .....	174
Figure 5-46 - Dynamic Flow of post calendar event .....	174
Figure 5-47 – Component diagram illustrating the elements involved in the Oil Spill model processing..	177
Figure 5-48 – Oil spill modelling execution workflow.....	178
Figure 5-49 – Archive / restore functionality component diagram .....	181
Figure 5-50 – Archiving process .....	182
Figure 5-51 – Restoring process .....	183
Figure 8-1 ER diagram for EOP metadata .....	198
Figure 8-2 Oil Spill feature data model .....	200
Figure 8-3 Detected Ship feature data model.....	209
Figure 8-4 ER diagram for detected ship and oil spill metadata.....	212
Figure 8-5 ER for the POR component .....	214
Figure 8-6: COM and JOU data Tables .....	215

